



Certificate of Analysis

Compliance Test

Client Information:

TERPLANDIA LLC
3400 Redwood Drive
#41

Batch # Standard Amanita Chocolate
Batch Date: 2026-01-29
Extracted From: 01/25/26

Cultivation Date: 0000-00-00
Production Facility: Standard Mushroom
Magic
Production Date: 2026-01-29

REDWAY, CA 95560
Order # TER240830-020001
Order Date: 2026-01-30
Sample # AAFX048
Serving Number: 1.00000

Sampling Date: 2026-02-04
Lab Batch Date: 2026-02-04
Completion Date: 2026-02-06

Initial Gross Weight: 61.200 g
Net Weight: 51.800 g

Number of Units: 1
Net Weight per Package: 51800.040 mg
Sampling Method: MSP 7.3.1



Amanita Muscaria

Tested



Amanita Analytes *

Specimen Weight: 5010.700 mg

Tested

SOP 13.058 (LCMS)

Mushroom Potency Summary

Total Alkaloids per Package 0.00434%	2.248mg	Total Alkaloids per Serving 0.00434%	2.248mg
Total Amanita Analytes per Package 0.00434%	2.248mg	Total Amanita Analytes per Serving 0.00434%	2.248mg

Pieces For Panel: 12

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Muscarine	3.65E-06	1.3E-5	0.0388	0.00388
Muscimol	8.81E-06	5.21E-5	0.0046	0.00046
Ibotenic acid	1.13E-05	5.21E-5	<LOQ	<LOQ
Total Alkaloids per Package			0.0434	0.00434
Total Amanita Analytes per Package			0.0434	0.00434

Prep. By: 1195 Date: 2026-02-04 18:47:48 Analyzed By: 1142 Date: 2026-02-04 12:52:39
Reviewed By: 1234 Date: 2026-02-06 13:06:59 Lab Batch #: AAFX048-415 Date: 2026-02-06 13:06:59

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity Sample not received via laboratory sampling.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

